Required cookies are used to deliver the essential aspects of our service and display our sites. You cannot opt out from Required cookies

Nome	Catamany	Exmine	Description	
Name	Category	Expiry 1 year	Description To prevent Cross Site Request Forgery (CSRF)	
_csrf_token	Required	1 year		
analyze_beta_demo	Functionality	180 days	Determines if user should get analyze demo tour	
anwebreqshare	Functionality	90 days	Tracks visitors who have request access to a survey from the shared page. We disable the request button if they have already requested. Prevents survey owner from getting spam.	
apexPKB2AB	Functionality	99 days	Determines if user sees beta version of Analyze	
apexPKB2CB	Functionality	99 days	Determines if user sees beta versions of create	
apexPKB2SID	Required	session	Session cookie for authentication	
apexsm	Required	session/14 days	This cookie is used to save the user's authentication state for the help center.	
apexsm_lang	Preferences	session	Store user's language preference for the session	
apexsm_SiteMsg	Functionality	session	Determines whether a help center site message exists for a user	
apexsurveymonkey	Required	60 minutes	This cookie tracks the user's account info for use in help center and support requests	
apexuid	Required	session	Keeps a user logged into the help center	
attr_mp	Analytics	4 months	Tracking of newly signed up users visiting marketing landing pages	
attr_multitouch	Analytics	1 year	Used for session stitching (connecting multiple visits to our site) for multiple-source conversion attribution analysis - so that we understand user paths to conversion (sign up, paid conversion, upgrade, renewal, lead form submission) and to measure the efficacy of SurveyMonkey marketing in driving conversion.	
attr_utm	Analytics	1 year	Cookie used to track users who view marketing pages	
auth	Required	session/1 hour/14 days	This cookie is used to redirect users to the appropriate language based subdomain or top level domain.	
cfu	Analytics	6 months	Cookie used to track user engagement	
closed template views	Analytics	1 year	This cookie is used for tracking total survey-closed page views	
closed templates seen	Analytics	1 year	This cookie is used for tracking which survey-closed pages this user has viewed	
create8010minimize	Functionality	30 days	Determines whether to shorten the experimental tour	
create8018quit	Functionality	30 days	Prevents the experimental tour from showing	
	,			
CX_XXXXXXXX	Functionality	1 year	This cookie is used to determine if the embedded site collector popup should be shown	
email_only_user	Functionality	1 year	Tracks whether user should see email-only sign in page This cookie is used to split traffic between SurveyMonkey endpages and SurveyMonkey Contribut	
endpage_test	Targeting	6 months	end pages	
endpage_views	Analytics	1 year	This cookie is used for tracking total endpage views	
endpages_seen	Analytics	1 year	This cookie is used for tracking which endpages the user has viewed	
ep201	Required	30 min	These cookies are used to for load balancing site traffic and preventing site abuse.	
ep202	Required	90 days	This cookie is used for signup source attribution, event stitching, and assigning visitors to experiments.	
ep203	Required	90 days	Enables the system to uniquely identify browsers/devices for the purpose of mitigating account sharing.	
EPQB_XXXXXXXX	Targeting	1 year	This cookie is used to customize the survey end page based on user demographics	
fileDownload	Functionality	session	Manages file download from group library	
has_closed_automated_reminder_an d_ty_dialog	Preferences	1 year	When this value is set, users will no longer see the automated reminder and thank you dialog more than once on page loads/refreshes after skipping the option or closing out of the dialog within a email collector upon scheduling their first message.	
has_seen_share_modal_onboarding	Preference	session	Tracks whether users have seen share onboarding modal	
hide_intro_dialog	Functionality	1 year (previously session)	Controls "Don't show again" checkbox in facebook messenger intro dialog	
hide_offline_intro_dialog	Functionality	session	Used to show or hide the kiosk mode intro dialog	
hide-pending-message-banner	Preference	1 year	When this cookie is set, users will not see a banner explaining why messages sent from email collector are taking a long time to send.	
hide-whitelist-sm-banner	Preference	1 year	When this cookie is set, users will not see a banner explaining to whitelist SurveyMonkey due to a sent email collector not actually being received by the intended recipient.	
instant_response	Functionality	90 days	Question should auto scroll when opening a survey via first question embedded in email collector	
legal_type	Targeting	session	Tracks whether user is self-serve or enterprise to display different content in the new Legal Center	
logged_in_fetch_request_domain	Functionality	1 year	Preview & Test for a survey creator. Used during the commenting flow	
m_opt	Functionality	session	Prevents redirect to mobile web if users switch to desktop	
marmoset cookie name	Required	session / 10 minutes	Session cookie for the mobile version of the website	
mobile_app	Required	session	Session cookie for the mobile version of the website	
P XXXXXXXX	Functionality	1 year	This cookie is used to indicate if a pop up survey has been taken and prevent it from being taken again	
_			When a user takes a survey that has a payment question type, this cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to pay.	
PQT_{Encrypted_respondent_id}	Functionality	1 day	make a payment as the payment page is no longer valid.	
pricing_ab_new_users	Functionality	1 year	Price testing	
program	Analytics	30 days	Stores the value of the program param from the user's most recent visit to the SurveyMonkey website.	
project_snapshot	Preferences	1 year	This cookie saves the project configuration for use later	
recurrence-tooltip	Functionality	1 year	Shows/hides the recurrence tooltip inside a web link collector	
research_ep	Analytics	30 days	This cookie prevents s-page respondents from seeing our research endpage more than once in a 30- day period.	
RP_XXXXXXXX	Functionality	90 days	This cookie is used to restrict a users to one response per survey	
ab alasad	Function - liter		Determines whether or not the user has closed the smart banner that links to the app store in our	
sb-closed	Functionality	1 year	mobile experience.	

Required cookies are used to deliver the essential aspects of our service and display our sites. You cannot opt out from Required cookies

Name	Category	Expiry	Description
sb-installed	Functionality	1 year	Mobile experience optimizations.
seen tbyb fat top bar	Functionality	1 days	Hides the top bar section that explains features are unlocked
session	Required	session	Used to prevent CSRF attacks
shared page password XXXXX	Required	1 day	Saves session for user visiting password protected Shared Results
shared_page_visitor_XXXXX	Analytics	180 days	Determines if user has visited the shared results view
shared_page_visitor_XXXXXX	Analytics	100 days	When a user turns Auto-renew off, the system sets this cookie to make sure we only show the "cancel
show_ar_off_survey	Preferences	1 year	auto-renew" survey once to eligible users.
show dashboard popup	Functionality	1 hour	This cookie is used to send selected users to an upgrade path.
signout confirmation seen	Analytics	1 year	This cookie is used for tracking which sign out-confirmation pages this user has viewed
signout confirmation views	Analytics	1 year	This cookie is used for tracking total sign out-confirmation page views
sitespect banner	Analytics	1 year	Tracking for sitespect
			Contains info on any polls the user has taken in the last 30 days. It's used by the survey research team
sm_*	Analytics	30 days	to conduct research into public opinion about current events or election prediction.
sm_analyze_commenting_tour	Preference	1 year	Used to show or hide the commenting tour dialog
sm_analyze_disable_survey_gallery_			
tour_{survey_id}	Preferences	1 year	Record that if the user want to see the survey gallery welcome modal
sm_auto_scroll_modal	Preference	1 year	Hides a modal explaining the auto scroll feature
sm_commenting_cta	Functionality	1 days	Hides commenting popup on Preview & Score page for subsequent visits after user dismisses it
sm_create_acc_key	Functionality	1 days	Helps determine which create sidebar panel to open on page load
sm_create_followup_question_predic	Droferences	1 day	When this cookie is set, users will not see the follow-up question dialog while adding questions to their survey on the Design page. This cookie is set after the first time the user has seen the follow-up question dialog.
tion_viewed	Preferences	1 day	question dialog.
sm_create_quiz_question_added	Functionality	1 year	Hides a tooltip explaining the quiz feature
sm_create_tour	Preference	1 year	Sets a user preference if cookie is present to not show the old tour modal.
sm_dc	Required	session/14 days	This cookie is required for routing the user to the correct data center.
sm_device_management_welcome	Preference	1 year	Shows/hides device management welcome modal
4.	De surias d	4	Caches whether or not the user should be subject to account verification. Also reduces traffic to
sm_dv	Required	1 day	experiments which improves page load times.
sm_gs_anon_resp_id	Preferences	1 year	Captures global setting default set by primary admin for anonymous responses
sm_gs_resp_auth_bool	Preferences	1 year	Captures global setting default set by primary admin for respondent authentication
sm_hww_XXXX	Functionality	1 year	prevents showing workgroup welcome modal more than once
sm_ir	Functionality	session	This cookie is used by instant results page to display certain data
sm_ir_mpid_cid	Analytics	30 days	Analyse conversion traffic from affiliates
sm_library_show_modal	Preference	1 year	Shows/hides full library modal
sm_lite_library_show_modal	Preference	1 year	Shows/hides lite library modal
sm_opa	Targeting	30 days	This cookie is used when a user comes to SurveyMonkey from a media partner for sales attribution.
sm_rec	Required	session/14 days	Stores unencrypted user data. Expiry time based on the "remember me" button on login.
sm_show_preview_conversation_pop out	Functional	1 day	When this cookie is set, users will not see the popout on step 2 letting them know that they can only see the UI for conversational mode in preview and score page.
sm_spage_commenting_tour_comme nting_turned_off	Preference	1 year	Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience.
an anone commenting tour current	Drafaranaa	1	Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner
sm_spage_commenting_tour_owner	Preference Preference	1 year 1 year	commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again.
			Preview & Test for a survey creator. Option set by the user to hide or show the about page preview
sm_spage_hide_preview_warning	Preference	1 year	popup modal. When this cookie is set, users will not see the confirmation dialog letting them know that they're
sm_switch_format	Functional	1 day	updating the survey format from <old format=""> to <new format=""> on preview and score page of create.</new></old>
sm_switch_ionnat	Preference	1 year	Hides video onboarding modal
e		. jour	smcx {{widget id}} last shown at is dropped when a user is shown a popup invitation or widget or
smcx_{{widget_id}}}_last_shown_at	Functional	Session	survey popul user interface, before any user interaction starts. It is used to prevent showing the same popup invitation or survey to the same browser instance after a user on that browser instance had already been given the opportunity to take the survey. Otherwise, in absence of special coding on the hosted website, users would be presented with the survey on every visit.
			This cookie is used by our experiment platform to determine which experiment variation a user has
smexp	Targeting	30 minutes	been exposed to in the last 30 minutes.
smf_logged_out_language	Preferences	1 Year	Remembers logged out user's language preference
SMkyPaymentRetry	Functionality	session	Cookie to send credit card customers in charge retry mode to billing pages.
smpoll	Functionality	30 days	This cookie contains info on any polls the user has taken in the last 30 days. It's used by the survey research team to conduct research into public opinion about current events or election prediction.
spagereqshare	Functionality	90 days	Used in survey preview and commenting
sso_enabled	Functionality	1 year	Stores encrypted SSO group information for SSO notification on login and password reset
sso_user	Required	90 days	This cookie is used to determine if a user is a single sign on user
taken template seen	Analytics	1 year	This cookie is used for tracking which survey-taken pages this user has viewed
taken template views	Analytics	1 year	This cookie is used for tracking total survey-taken page views
			Used for cross domain authentication and running experiments on users visiting the site on different
tld_set	Tracking	1 year	top level domains

SurveyMonkey First Party Cookies

Required cookies are used to deliver the essential aspects of our service and display our sites. You cannot opt out from Required cookies

Name	Category	Expiry	Description			
tld_user	Tracking	1 year	Used for cross domain authentication and running experiments on users visiting the site on different top level domains			
ucs_sign_in_module	Functionality	1 year	This was used by UCS V1, and V1 is not called anymore, the legacy v1 code will be removed soon.			
ucs_sign_in_promo	Functionality	1 year	This was used by UCS V1, and V1 is not called anymore, the legacy v1 code will be removed soon.			
ucs_topbar_views	Analytics	1 year	Records how many times a certain topbar has been viewed in that browser, This was used by UCS V1, and V1 is not called anymore, the legacy v1 code will be removed soon.			
upgrade_browser_modal	Preference	1 days	This cookie prevents the unsupported browser warning from displaying multiple times			
utm_adgroup	Analytics	30 days	Stores the value of the utm_adgroup param from the user's most recent visit to the SurveyMonkey website.			
utm_bu	Analytics	30 days	Stores the value of the utm_bu param from the user's most recent visit to the SurveyMonkey website.			
utm_campaign	Analytics	30 days	Stores the value of the utm_campaign param from the user's most recent visit to the SurveyMonkey website.			
utm_content	Analytics	30 days	Stores the value of the utm_content param from the user's most recent visit to the SurveyMonkey website.			
utm_data	Analytics	30 days	Stores the value of the utm_data param from the user's most recent visit to the SurveyMonkey website.			
utm_device	Analytics	30 days	Stores the value of the utm_device param from the user's most recent visit to the SurveyMonkey website.			
utm_medium	Analytics	30 days	Stores the value of the utm_medium param from the user's most recent visit to the SurveyMonkey website.			
utm_network	Analytics	30 days	Stores the value of the utm_network param from the user's most recent visit to the SurveyMonkey website.			
utm_source	Analytics	30 days	Stores the value of the utm_source param from the user's most recent visit to the SurveyMonkey website.			
utm_tag	Analytics	30 days	Stores the value of the utm_tag param from the user's most recent visit to the SurveyMonkey website.			
utm_term	Analytics	30 days	Stores the value of the utm_term param from the user's most recent visit to the SurveyMonkey website.			
viewed_4878	Tracking	30 days	This cookie is used by an experiment to personalize a returning user's upgrade path			
visited_preview_anon	Tracking	1 year	Record that a person has visited the preview page while signed out. When they sign in, we record that this user visited the preview page anonymously and then delete le cookie.			

SurveyMonkey Third Party Cookies

Arrow	•					
ang-offBoard <t< td=""><td>Cookie Name</td><td>Expiry</td><td>Category</td><td>Third Party Name</td><td>Description</td><td>Notes</td></t<>	Cookie Name	Expiry	Category	Third Party Name	Description	Notes
Jobs of the set o	atrino mid	10	E	0	fraudulent actors and stops them prior to making a	
	sube_mid	TO Minutes	Functionality	Suipe		https://stripe.com/cookies-policy/iegal
JOD, 5119201920Receive of the predict states and the predict states an					data helps our fraud systems recognize the patterns of	
manual manua	stripe sid	1 vear	Functionality	Strine		https://stripe.com/cookies-policy/legal
JARCHARCHSPACE		i yeai	Tunctionality	ourpe		
		0	A	Over the Average Prov	The shift of the state of the second s	com/analytics/devguides/collection/analyticsjs/cookie-
	utma	2 years	Analytics	Google Analytics	Used to distinguish users and sessions	
and andAnyanCongle AnyanLand Cacipy Anyan (and cacipy a						com/analytics/devguides/collection/analyticsjs/cookie-
<table-row></table-row> <table-row><table-row><table-row></table-row><table-row><table-row></table-row></table-row></table-row></table-row> <table-row></table-row> <table-row></table-row> <table-row></table-row> <table-row></table-row> <table-row></table-row>	utmb	30 minutes	Analytics	Google Analytics	Used to determine new sessions and visits	
						https://developers.google. com/analytics/devguides/collection/analyticsis/cookie-
intintYesYesYesYesYesYesYesYesintintintintYes </td <td>utmc</td> <td>session</td> <td>Analytics</td> <td>Google Analytics</td> <td>Used for Google Analytics functionality</td> <td>usage#gajs</td>	utmc	session	Analytics	Google Analytics	Used for Google Analytics functionality	usage#gajs
intintYesYesYesYesYesYesYesYesintintintintYes </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>https://developers.google.</td>						https://developers.google.
<table-row><table-row><table-row><table-row></table-row><table-row><table-row><table-row></table-row><table-row></table-row></table-row><table-row></table-row><table-row></table-row></table-row><table-row></table-row><table-row></table-row></table-row></table-row></table-row>	utmt	10 minutes	Analytics	Google Analytics	Used to throttle request rates	usage#gajs
mm_mm_mm_mm_mm_mm_mm_mm_mm_mm_mm <t< td=""><td></td><td></td><td></td><td></td><td></td><td>https://developers.google_</td></t<>						https://developers.google_
<table-row><table-row></table-row><table-row><table-row></table-row><table-row><table-row></table-row><table-row></table-row></table-row><table-row></table-row></table-row></table-row>	utmv	2 years	Analytics	Google Analytics	Used to store visitor-level custom variable data	usage#gajs
memmemNormCongh AngaMem And Anga Anga Anga Anga Anga Anga Anga Anga						https://developers.google.
age 1mort mort mort mort mort mort mort mort	utmz	6 months	Analytics	Google Analytics		
ope columnin more to the columnTendreOne 						
geneParentNavierSociely ValueParent Sociely Value </td <td>_ceg.u</td> <td></td> <td></td> <td></td> <td></td> <td></td>	_ceg.u					
pppPP	_cloudspongea	30 days	Tracking	Cloudsponge	Behavior tracking	https://www.cloudsponge.com/privacy/
gagalendlendloop <thli>looplooploop<td></td><td></td><td></td><td></td><td></td><td></td></thli>						
getimmeNameSough valgeoutput toget particulationmethod sector sough valgetmethod sector sough valgetget/get/get/get/get/get/get/get/get/get/	ga	2 years	Analytics	Google Analytics	Used for Google Analytics functionality	
pathmaxm						https://developers.google.
Bit Bit< Bit Bit Bit <td>nat</td> <td>1 minute</td> <td>Analytics</td> <td>Google Application</td> <td>Used for Google Analytics functionality</td> <td>com/analytics/devguides/collection/analyticsjs/cookie-</td>	nat	1 minute	Analytics	Google Application	Used for Google Analytics functionality	com/analytics/devguides/collection/analyticsjs/cookie-
jultjultoutputoutputoutputoutputoutputoutputjultoutputoutputoutputoutputoutputoutputoutputoutputjultoutputoutputoutputoutputoutputoutputoutputoutputoutputjultoutputout	_3		,	Coogic Analytics	seed or coogic miniputes functionality	
Partial<						com/analytics/devguides/collection/analyticsjs/cookie-
getPoince<	_gat_languageTracker	90 days	Analytics	Google Analytics	Used for Google Analytics functionality	
hatbestbe						https://developers.google. com/analytics/devguides/collection/analyticsjs/cookie-
Lud Lud LogOf Day PareorOrOrOrOrOrOr201 Sys7201 Sys201 Sys <td>_gid</td> <td>24 hours</td> <td></td> <td>Google Analytics</td> <td>Used for Google Analytics functionality</td> <td>usage#gajs</td>	_gid	24 hours		Google Analytics	Used for Google Analytics functionality	usage#gajs
TegendryTegendryTegendryTegendryName <th< td=""><td>kuid</td><td>60 days</td><td>Targeting/Advertisin</td><td>Krux Digital</td><td>Used for Google Analytics functionality</td><td>http://cookiepedia.co.uk/host/.krxd.net</td></th<>	kuid	60 days	Targeting/Advertisin	Krux Digital	Used for Google Analytics functionality	http://cookiepedia.co.uk/host/.krxd.net
mb /s			Targeting/Advertisin	ritux Digital		
outIncomePurchaselyBasebore (to keepBasebore (to keepBasebore (to keepBasebore (to keepBasebore (to keepBasebore (to keepBasebore<	_mkto_trk	730 days	g	Marketo		tracking/#cookie
Josephane Person Under to read a surf set and when the formation was list updated. Person Under to read a surf set and when the formation was list updated. Person Under to read a surf set and when the formation was list updated. Person	oref	1 month	Functionality	Salectorce Live Agent	Liead for the online chat widget	https://www.salesforce.com/products/service-
perode, makedball baskedball bask			- unouonaity	Calcolored Live Agent		
gamb, and statistic statisti statisti statis statisti statistic statistic statistic statisti	_pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f14d1fecc9db	100 days	Analytics	Pendo	information was last updated.	library/api/index.html?bash#introduction
Luebid Targeting/Abversin g Knowich Moreauti Moreauti Mor	pando, vicitorid 00ddf3a7, b2a8, 40fb, 5ad8, f14d1facc0db	100 dave	Applytics	Pendo		https://help.pendo.io/resources/support-
LetticidTyper<	_pendo_visitorid.aaddi.3e/-b2e6-+0ib-3ed6-i14d11eccadb	Too days	Analytics	Fendo	track a single user's clicks in Addienceweb	
These consists requestly used for Analytics and help alg. anonymous_it These consists requestly used for Analytics and help alg. group_it These consists requestly used for Analytics and help alg. group_it These consists requestly used for Analytics and help alg. group_it These consists requestly used for Analytics and help alg. group_it These consists requestly used for Analytics and help alg. group_it These consists request helps and for analytics and help alg. group_it These consists request helps and for analytics and help alg. group_it These consists request helps and for analytics and helps and helps and			Targeting/Advertisin			us/resources/policies/remarketing-in-paid-search-
gis_monymous_id typor Analytics Segment count how may people will a certain if by tracking image interminance intermin	_uetsid	1 year	g	MICrosoft		policies
Analytics Segment These codes in this down have if segment of the subject rests within reage and events within rests within reage and events within the subject rests within rests with					count how many people visit a certain site by tracking if	https://segment.com/docs/sources/website/analytics.
aje_group_jd werken de same fan en	ajs_anonymous_id	1 year	Analytics	Segment		<u>is/</u>
ging usery idname in the instant in the instant in the instant instan	ais group id	1 year	Analytics	Segment	website. Cookies in this domain have lifespan of 1 year.	https://segment.com/docs/sources/website/analytics. is/
gig_user_jd1 yearAnalyticsSegmentanalyticsSegmentintras/segment.com/doca/sources/websites/analytics/ year.APISDsessionFunctionalityGoogleSet for Google monitor have are registed for these componentsIntras/segment.com/doca/sources/websites/analytics/ year.APISDsessionUperaUncellagordGoogleSet for Google monitor have are registed for these componentsIntras/segment.com/doca/sources/websites/ tool google account have are registed for these componentsSet defails on code descriptionSet defails on code description						
aje_user_jd 1 year Analycis Segment year at APISD ession Functionality Set by Google components- such as the GDive folder program (and the program of ecosystem) Set defails components- such as the GDive folder program (and the program of ecosystem) Set defails components- such as the GDive folder program (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) HSID ession Functionality Google Advertism Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Ittes://www.settem/components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such as the GDive folder program of ecosystem (and the program of ecosystem) Set defails components- such						https://segment.com/docs/sources/website/analytics
ArSDDessionrunctionally runctionallycode code account in they are regular for these composition.the stratical code account in the are regular for these composition.the stratical code account in the are regular for these composition.the stratical code account in the are regular for these composition.the stratical code account in the are regular for these composition.the stratical code account in the are regular for these composition.the stratical code account is and account in the are regular for these composition.the stratical code account is and account is and account in the are regular for these composition.the stratical code account is and account is a	ajs_user_id	1 year	Analytics	Segment		is/
AFISD sesion Functionality Coogle Coogle acount. They arrequired for these components three //policies_google.com/technologies/news cdu_Md 1 year Unclasgorded Zer Ended Zer Zer Coogle Advords Conversion Details on duration Google Advords See details on cookie description See details on types of cookies See details on cookie description See details on types of cookies Google Advords User Lists Details on duration Google Advords See details on cookie description See details on types of cookies Google Advords User Lists Details on duration Google Advords See details on types of cookies See details on types of cookies Google Advords User Lists Details on duration Google Advords See details on types of cookies See details on types of cookies KiBD ession Functionality See details on types of cookies See details on types of cookies See details on types of cookies Nagert_did 1 north Functionality Selestore Line Agv Idea of the online chat widget Idea of the						
APISD session Functionality Google to function property. thetps://doiles.co.ords.com/thet/neb/oget/yoes. doi_wid Google Adverds Conversion Dealis on duration Google Adverds in co.oxie description See dealis on turned.com/texture.co						
Geoge Advords Conversion Details on duration Geoge Advertising See details on cookle description See details on toyles of cookles Googe Advords User Lists Details on duration Google Advertising See details on cookle description See details on Loges of cookles Googe Advertising See details on Loges of cookles See details on Loges of cookles See details on Loges of cookles Google Advertising See details on Loges of cookles See details on Loges of cookles See details on Loges of cookles Google Advertising See details on Loges of cookles See details on Loges of cookles See details on Loges of cookles HSID essein Functionality See details on Loges of the conklex on the cookles of the cookles of the conklex on the cookles of the cookl				Google	to function properly.	https://policies.google.com/technologies/types
Googe Adverses User Lists Details on duration Googe Advertising Sendation conside discription Sen details on toxics Googe Adverses Googe Advertising Sendation conside adscription Sendation consed adscriptio		,	-			
Geogle Dynamic Remarketing Details on duration Geogle Advertising See details on code/s description See details on types of cookies HSID session Functionality Google Google Google Google account: They appear to identify the user's Google account: They appear to identify the user's double account and the components. such as the GDrive folder picker or ReCognito. Thus://ioides.google.com/technologies/types HSID session Functionality Salestore Live Agent thus://ioides.google.com/technologies/types Ivagent_idation 1 year Functionality Salestore Live Agent thus://ioides.google.com/technologies/types Ivagent_idat 1 month Functionality Salestore Live Agent thus://ioides.google.com/technologies/types Ivagent_uid 1 month Functionality Salestore Live Agent t				-		
Best by Google components - such as the GDrue folder picker or ReCaptich. They apper to identify the user's Google account. They are required for these components to function properly. Http://ordere.google.com/technologies/types HSID session Functionality Google Edit by Google components - such as the GDrue folder picker or ReCaptich. They apper to identify the user's Google account. They are required for these components to function properly. http://ordere.google.com/technologies/types Ivagent_sid 1 year Functionality Salestorae Live Agent Used for the online chat widget http://ordere.google.com/technologies/types Ivagent_sid 1 year Functionality Salestorae Live Agent Used for the online chat widget http://www.salestorae.com/technologies/types Ivagent_ve 1 month Functionality Salestorae Live Agent Used for the online chat widget https://www.salestorae.com/technologies/types NID session Functionality Salestorae Live Agent Used for the online chat widget https://www.salestorae.com/technologies/types NID session Functionality Salestorae Live Agent Used for the online chat widget https://www.salestorae.com/technologies/types NID session Functionality Salestorae Live Agent						
HSIDsessionFunctionalityGooglepickef or RECaptoha. They appear to identify the user's for function properly.inter //ucicies. scogle.com/technologies/typesHSIDsession1 yearFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_datad1 yearFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_id1 monthFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_id1 yearFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_id1 yearFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_id1 yearFunctionalitySalestoca Lve AgerUeed for the online chat widgetInter //ucicies. scogle.com/technologies/typesIvagent_id2 yearsAnalyticsMixPanelUeed for the online chat widgetInter //ucicies.google.com/technologies/typesNIDsessionFunctionalityGoogleStripepurchasel in order to heigh robustyInter //ucicies.google.com/technologies/typesner10 yearsPurctionalityStripepurchasel in order to heigh robustyInter //ucicies.google.com/technologies/typesner10 yearsAnalyticsOplimizelyStripeStripe on //ucicies.google.com/technologies/types	Google Dynamic Kemarketing	Details on duration	Google	Adventising		See details on types of cookies
HSID session Functionality Google to function properly. thttps://toolicis.google.com/technologies/types liveagent_dratted 1 Punctionality Salesfore. Live Agent Used for the online chat widget Https://tows.salesfore.com/products/salesrivice. cloud/features/live.agent/ liveagent_pid 1 month Punctionality Salesfore. Live Agent Used for the online chat widget Https://tows.salesfore.com/products/salesrivice. cloud/features/live.agent/ liveagent_sc 1 month Punctionality Salesfore. Live Agent Used for the online chat widget Used for the online chat widget Cloud/features/live.agent/ liveagent_sc 1 month Punctionality Salesfore. Live Agent Used for analytics data for mobile visitors Https://macanel.com/technologies/types liveagent_sc 1 month Functionality Google Used for analytics data for mobile visitors Https://macanel.com/technologies/types NID session Functionality Google Stel by Google components - such as the GDrive folder picker or Recapitch. They aprepair to definity the users Google account fact diveagent dor frame diveagent dor frame diveagent dor frame diveagent dor framad dites/store. For example, this con/tact dites/store.					picker or ReCaptcha. They appear to identify the user's	
Insegent_shated I year Functionality Salesforce Lve Agent Used for the online chat widget Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ Iveagent_pid 1 month Functionality Salesforce Lve Agent Used for the online chat widget Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ Iveagent_add 1 year Functionality Salesforce Lve Agent Used for the online chat widget Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ Iveagent_wc 1 month Functionality Salesforce Lve Agent Used for the online chat widget Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ Iveagent_wc 1 month Functionality Salesforce Lve Agent Used for the online chat widget Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ NID session Functionality Google Sociel components - such as the CDirve folder picker or ReCaptch. They appear to identify the user's Google account frequents of these components Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ NID session Functionality Stripe Sociel vocopations Intro: //www.salesforce.com/products/service: cloud/featurestive-agent/ op	HSID	session	Functionality	Google		https://policies.google.com/technologies/types
Inseger_ptid 1 month Functionality Salesfore Live Agent Used for the online chat widget Ittps://www.salesfore.com/products/service. doudfaltures/live-agent/ doudfa						
liveagent_pidd 1 month Functionality Satesforce Live Agen Used for the online chat widget coludifeatures/live-agen// liveagent_sid 1 year Functionality Satesforce Live Agen Used for the online chat widget thttps://www.satesforce.com/product/sates/live/sates/live.com/product/sates/live.com/product/sates/liv	liveagent_chatted	1 year	Functionality	Salesforce Live Agent	Used for the online chat widget	
Universe Provide Provide Utter	liveagent ptid	1 month	Functionality	Salesforce I ive Agent	Used for the online chat widget	
liveagent_side 1 year Functionality Salesforce Live Agent Used for the online chat widget doudfeatures/live-agent/ coudfeatures/live-agent/ coudfeatures/live-agent/ doudfeatures/live-agent/ coudfeatures/live-agent/ lives/live-agent/ lives/live-agent/ lives/live-agent/ coudfeatures/live-agent/ lives/live-agent/ coudfeatures/live-agent/ lives/live-agent/ lives/live-agent/ lives/live-agent/ lives/live-agent/ coudfeatures/live-agent/ lives/live-agenteagent/ lives/live-agent/ lives/live-agent lives/live-ag						https://www.salesforce.com/products/service-
liveagen_vc 1 month Functionality Salesforce Live Agent Used for the online chat widget doud/features/live-agent/(mp_HASH_mixpanel 2 years Analytics MixPanel Used for the online chat widget thtps://mixpanel.com/legal/privacy-policy/(mp_HASH_mixpanel 2 years Analytics MixPanel Used for the online chat widget thtps://mixpanel.com/legal/privacy-policy/(NID session Functionality Google Coogle account: They are required for these components to function properly. https://policies.google.com/lechnologies.htt	liveagent_sid	1 year	Functionality	Salesforce Live Agent	Used for the online chat widget	cloud/features/live-agent/
mp_HASH_mixpanel 2 years Analytics MixPanel Used for analytics data for mobile visitors https://mixpanel.com/legal/privacy-policy/ mp_HASH_mixpanel 2 years Analytics MixPanel Used for analytics data for mobile visitors https://mixpanel.com/legal/privacy-policy/ NID session Functionality Google Set by Google accumt. They are required for these components https://mixpanel.com/legal/privacy-policy/ NID session Functionality Google Used to raid in fraud detection. For example, this cookie thiss://policies.google.com/technologies/types ner session Functionality Stripe purchase in order to help protect your business https://stripe.com/cookies-policy/legal optimizelyBuckets 10 years Analytics Optimizely Stores the visitor's unique Optimizely dendifier. It's a combination of a misestam part for avoitor's actions between tracking calls. This ensures that all events are efficiently tracked marks mark and ontom unders. Not ther com/texplex_locokies.and.localStora optimizelyPendingLogEvents 10 years Analytics Optimizely Optimizely optimizelySegments 10 years Analytics Optimizely The cookie is wiped once the tracking call has been macking. https://thelo.optimizely.cookies.and.localStora optimizelySegments 10 years Analytics Optimizely Stores the visito	liveagent vc	1 month	Functionality	Salesforce I ive Agent	Used for the online chat widget	https://www.salesforce.com/products/service- cloud/features/live-agent/
NID Set by Google components - such as the GDrive folder picker or ReCaptha. They appear to identify the user's Google account. They are required for these components to function property. Interview of the subscription of the subscription of the session Interview of Functionality Interview of Google account. They are required for these components to function property. Interview of the subscription of the subscription of the subscription optimizelyBuckets Interview of the subscription of the subscription of the subscription of the subscription of the subscription of the subscription of the subscription of the subscription of the subscription optimizelyBuckets Interview of the subscription of the subscry subscription of the subscription of the subscription						
ND Session Functionality Google Coogle account. They are required for these components thuction properly. Intest/policies.google.com/technologies/types ND Session Functionality Google Used to to aid in fraud detection. For example, this cookie fraudulent actors and stops them point to making a purchase in order to help protect your business. Intes://stipe.com/cookies-policy/legal ner session Functionality Stripe Purchase in order to help protect your business. Intes://stipe.com/cookies-policy/legal optimizelyBuckets 10 years Analytics Optimizely experiment. This allows us to deliver a consistent experiment. This allows us to deliver a consistent on the coptimizelyGookies and localStora com/set up. Optimizely/Cookies and localStora n. the Optimizely/Segments optimizelyPendingLogEvents 15 seconds Analytics Optimizely Stores the visitor's segment: trowser, campaign, mobile, nitrore our segmenet analytics. the Optimizely/Cookies					Set by Google components - such as the GDrive folder	
NID session Functionality Google to function properly. https://policies.google.com/technologies/types nsr session Functionality Stripe urade to bad in fraud detection. For example, file cooking data helps our fraud detection. For example, file cooking fraudulent actors and stops hem prior to making a purchase in order to help protect your business. https://stripe.com/cookies-policy/legal nsr session Functionality Stripe purchase in order to help protect your business. https://stripe.com/cookies-policy/legal optimizelyBuckets 10 years Analytics Optimizely experiment. This allows us to deliver a consistent experimenc on successive page loads. https://stripe.com/cookies-policy/legal optimizelyEndUserId 10 years Analytics Optimizely Stores the visitor is usice of antice. https://stripe.com/cookies_and_localStora com/stell.up_Optimizely/cookies and localStora information about you visitors is stored inside. https://stripe.optimizely/cookies and localStora com/stell.up_Optimizely/cookies and localStora information about you visitors is stored inside. https://stripe.optimizely/cookies.and_localStora com/stell.up_Optimizely/cookies.and_localStora information about you visitors is stored inside. https://stripe.optimizely/cookies.and_localStora optimizelyPendingLogEvents 15 seconds Analytics Optimizely Stores the visitor's					picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components	
Insr Stripe data helps our fraud systems recognize the patterns of data helps our fraud systems recognize the patterns of purchase in order to help protect your business. https://stipe.com/nockies-policy/legal ner Purchase Purchase Records the variation the visitor to help protect your business. https://stipe.com/nockies-policy/legal optimizelyBuckets 10 years Analytics Optimizely experiment. This allows us to deliver a consistent optimizelyLendUserid https://stipe.com/nockies-policy/legal nthps://stipe.com/nockies-policy/legal optimizelyBuckets 10 years Analytics Optimizely Stores the visitor's unique Optimizely identifier. It's a com/notime part and monthem. No other information about you visitors is stored haside. https://stipe.com/nockies-policy/legal nthps://stipe.com/nockies-policy/legal optimizelyEndUserid 10 years Analytics Optimizely Evaluation of a timestamp and random number. No other information about you visitors is stored haside. nthps://stipe.com/nockies-policy/legal nthps://stipe.com/nockies-policy/legal optimizelyPendingLogEvents 15 seconds Analytics Optimizely Certifications of timestamp actions in rapid succession. In the cohine any custon dimensions we need to cohine any custon dimensions we need to cohinizely. com/state.up.Optimizely/Cookies and localStore inprove our segmented ananytics. <td>NID</td> <td>session</td> <td>Functionality</td> <td>Google</td> <td>to function properly.</td> <td>https://policies.google.com/technologies/types</td>	NID	session	Functionality	Google	to function properly.	https://policies.google.com/technologies/types
nar session Functionality Stripe productation set on segment of the protect on help protect by our business. https://tripe.com/cookies-policy/legal optimizelyBuckets 10 years Analytics Optimizely Records the variation the visitor has seen for each experiment. This allows us to deliver a consistent on the protect on help protect					Used to to aid in fraud detection. For example, this cookie	
nsr session Functionality Stripe purchase in order to help protect your business. Integr/stripe.com/cookles-policy/legal optimizelyBuckets 10 years Analytics Optimizely experiment. This allows us to deliver a consistent Integr/stripe.com/cookles_policy/legal optimizelyBuckets 10 years Analytics Optimizely experiment. This allows us to deliver a consistent Integr/stripe.com/cookles_policy/legal optimizelyBuckets 10 years Analytics Optimizely Stores the visitor's unique Optimizely identifier. It's a combination of a timestamp and random number. No other polimizelyPend/userid Integr/stripe.com/mizely.cookles_and_localStore com/Set Up_Optimizely/Cookles_and_localStore com/Set Up_Optimizely/Cookles_and_localStore polimizelyPendingLogEvents Integr/stripe.com/mizely/ com/Set Up_Optimizely/Cookles_and_localStore com/Set Up_Optimizely/Cookles_and_localStore polimizelyPendingLogEvents Integr/stripe.com/mizely/ com/Set Up_Optimizely/Cookles_and_localStore even if a visitor's accome that all events are efficiently tracked even if a visitor's segment: browser, campaign, mobile. Integr/stripe.com/mizely/ com/Set Up_Optimizely/Cookles_and_localStore polimizelySegments 10 years Analytics Optimizely Stores the visitor's segment: browser, campaign, mobile. Integr/stripe.optimizely.cookles_and_localStore polimizelySegments com/set Up_Optimizely/Cookles_and_localStore polimizelySegment and y custor d					fraudulent actors and stops them prior to making a	
optimizelyBuckets 10 years Analytics Optimizely Optimizely experiment. This allows us to deliver a consistent optimizelyBuckets consistent Dependence consistent Dependence <thconaltent Dependence <thconaltent Dependenc</thconaltent </thconaltent 	nsr	session	Functionality	Stripe	purchase in order to help protect your business.	
optimizelyBuckets 10 years Analytics Optimizely combination of a timestamp and random number. No other information about you visitors is stored nside. n.the_Optimizely_cookies and localStora combination of a timestamp and random number. No other information about you visitors is stored nside. n.the_Optimizely_cookies and localStora combination of a timestamp and random number. No other information about you visitors is stored nside. n.the_Optimizely_cookies and localStora combination of a timestamp and random number. No other information about you visitors is stored nside. n.the_Optimizely_cookies and localStora combination of a timestamp and random number. No other information about you visitors is stored nside. n.the_Optimizely_cookies and localStora combinately_snippet optimizelyPendingLogEvents 15 seconds Analytics Optimizely The cookin segment: torsker, campaign, mobili- source type and any custom dimensions we need to improve our segmented analytics. n.the_Optimizely_ comSet Up_Optimizely_ comSet						https://help.optimizely. com/Set_Up_Optimizely/Cookies_and_localStorage_i
optimizelyEndUserid 10 years Analytics Optimizely combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination of a timestamp and random number. No other (normation about you visitors is stored inside. combination (normation about you visitors is stored inside. combination you visitors is stored inside. combination you visitors is stored inside. optimizelyPendingLogEvents 10 years Analytics	optimizelyBuckets	10 years	Analytics	Optimizely	experience on successive page loads.	n_the_Optimizely_snippet
optimizelyEndUserid 10 years Analytics Optimizely information about you visitors is stored inside. n_the_Optimizely_snippet optimizelyPendingLogEvents 15 seconds Analytics Optimizely events ensures that all events are efficiently tracked calls. This ensures that all events are efficiently tracked or if a visitor s actions between tracking. Inter_Optimizely_snippet optimizelyPendingLogEvents 15 seconds Analytics Optimizely The cookie is wiped once the tracking call has been made. The cookie is wiped once the tracking call has been made. Inter_Optimizely_snippet optimizelySegments 10 years Analytics Optimizely improve our segmented analytics. Inter_Optimizely_snippet optimizelyGogleaccunt. The year equired for these components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Gogle account. They are required for these components Inter_Optimizely_snippet						https://help.optimizely.
optimizelyPendingLogEvents 15 seconds Analytics Optimizely Used as a cache for a visitor's actions between tracking calls. This ensures that all events are efficiently tracked event if a visitor takes many actions in rapid succession. https://help.optimizely.con/iset_up_Optimizely. com/iset_up_Optimizely. optimizelySegments 10 years Analytics Optimizely Optimizely Stores the visitor's actions between tracking event if a visitor takes many actions in rapid succession. In the Optimizely.con/iset_up_Optimizely.com/iset_up_Optimizely.con/iset_up_Optimizely.con/iset_Up_Optimizely	optimizelyEndUserId	10 years	Analytics	Optimizely	information about you visitors is stored inside.	n_the_Optimizely_snippet
optimizelyPendingLogEvents 15 seconds Analytics Optimizely even if a visitor takes many actions in rapid succession. The cookie is wiped once the tracking call has been made. Stores the visitor's segment: browser, campaign, mobile, source type and any custom dimensions we need to optimizelySegments contSet_UD_OptimizelySegments/Cookies_and_localStora optimizelySegments 10 years Analytics Optimizely Stores the visitor's segment: browser, campaign, mobile, source type and any custom dimensions we need to prove our segmented analytics. Inte_OptimizelyCookies_and_localStora Set by Google components - such as the GDrive folder picker or ReCapitcha. They appear to identify the user's Google account. They are required for these components Set by Google account. They are required for these components					Used as a cache for a visitor's actions between tracking	
optimizelyPendingLogEvents 15 seconds Analytics Optimizely The cookie is wiped once the tracking call has been made. http://thisp.optimizely optimizelySegments 10 years Analytics Optimizely Stores the visitor's segment: towesr-campaign, mobile, interpretatively. Interpretative						nttps://nelp.optimizely. com/Set_Up_Optimizely/Cookies_and_localStorage_i
optimizelySegments 10 years Analytics Optimizely improve our segmented analytics com/Set_Up_Optimizely/Cockies_and_localStora optimizelySegments 10 years Analytics Optimizely improve our segmented analytics n_the_Optimizely_Cockies_and_localStora Set by Google components - such as the GDrive folder picker or ReCapitcha. They appear to identify the user's Google account. They are required for these components Set by Google account. They are required for these components	optimizelyPendingLogEvents	15 seconds	Analytics	Optimizely	The cookie is wiped once the tracking call has been made.	n_the_Optimizely_snippet
optimizelySegments 10 years Analytics Optimizely improve our segmented analytics. n_the_Optimizely_snippet Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components Set by Google account. They are required for these components						https://help.optimizely.
Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components	optimizelySegments	10 years	Analytics	Optimizely	improve our segmented analytics.	
Google account. They are required for these components					Set by Google components - such as the GDrive folder	
SAPISID session Functionality Google to function property. https://policies.google.com/technologies/types					picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components	

SurveyMonkey Third Party Cookies

Cookie Name	Expiry	Category	Third Party Name	Description	Notes
SID	session	Functionality		Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function properly.	https://policies.google.com/technologies/types
SIDCC	session	Functionality	Google	Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function properly.	https://policies.google.com/technologies/types
Snap*	100 days	Functionality	SnapEngage		https://code.corp.surveymonkey. com/devmonkeys/AudienceWeb/blob/develop/audien ceweb/lib/snap_engage.py
SSID	session	Functionality	Google	Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function property.	https://palicies.google.com/technologies/types