

Name	Category [1]	Expiry	Description
_csrf_token	Required	1 year	To prevent Cross Site Request Forgery (CSRF)
analyze_beta_demo	Functional	180 days	Determines if user should get analyze demo tour
analyze_onboarding_carousel	Functional	1 year	Prevents analyze onboarding modal from appearing multiple times
anwebreqshare	Functional	90 days	Tracks visitors who have request access to a survey from the shared page. We disable the request button if they have already requested. Prevents survey owner from getting spam.
anwebreqshare	Functional	90 days	Keeps track of shared pages for which the user requested access to prevent multiple requests
apex_PKB2AB	Functional	99 days	Determines if user sees beta version of Analyze
apex_PKB2CB	Functional	99 days	Determines if user sees beta versions of create
apex_PKB2SID	Required	session	Session cookie for authentication
apex_sm	Required	session/14 days	This cookie is used to save the user's authentication state for the help center.
apex_sm_lang	Required	session	Store user's language preference for the session
apex_sm_SiteMsg	Functional	session	Determines whether a help center site message exists for a user
apex_surveymonkey	Functional	60 minutes	This cookie tracks the user's account info for use in help center and support requests
apex_uid	Required	session	Keeps a user logged into the help center
apex_gdpr	Functional	session	determines if we are in a GDPR country. Takes our country and compares it to a list of countries tied to GDPR.
attr_mp	Functional	4 months	Tracking of newly signed up users visiting marketing landing pages
attr_multitouch	Functional	1 year	Used for session stitching (connecting multiple visits to our site) for multiple-source conversion attribution analysis - so that we understand user paths to conversion (sign up, paid conversion, upgrade, renewal, lead form submission) and to measure the efficacy of SurveyMonkey marketing in driving conversion.
attr_utm	Functional	1 year	Cookie used to track users who view marketing pages
audience_upsell_14416	Functional	Browser Session	Triggers the audience upsell flow in Create in order to present Audience more prominently as a choice for response collection
auth	Required	session/1 hour/1	This cookie is used to redirect users to the appropriate language based subdomain or top level domain.
campaign_complete	Functional	30 days	When this cookie is set, users will not see other campaigns after they complete or close a Usabilla campaign. This cookie is set after the user completes a Usabilla campaign across create, collect, and commenting. This cookie adds dependencies across multiple Usabilla campaigns.
cdp_seg	Functional	90 days	Helps track behavior for segmentation
cfu	Functional	6 months	Cookie used to track user engagement
closed_template_views	Functional	1 year	This cookie is used for tracking total survey-closed page views
closed_templates_seen	Functional	1 year	This cookie is used for tracking which survey-closed pages this user has viewed
create8010minimize	Functional	30 days	Determines whether to shorten the experimental tour
create8018quit	Functional	30 days	Prevents the experimental tour from showing
CX_XXXXXXX	Functional	1 year	This cookie is used to determine if the embedded site collector popup should be shown
dashboard_password_<dashboard_ke	Functional	1 day	Authorises user for password-protected dashboard
dashbreqshare	Functional	90 days	Keeps track of dashboards for which the user requested access to prevent multiple requests
email_only_user	Functional	1 year	Tracks whether user should see email-only sign in page
endpage_test	Advertising	6 months	This cookie is used to split traffic between SurveyMonkey endpages and SurveyMonkey Contribute end pages
endpage_views	Functional	1 year	This cookie is used for tracking total endpage views
endpages_seen	Functional	1 year	This cookie is used for tracking which endpages the user has viewed
ep201	Required	30 min	These cookies are used to for load balancing site traffic and preventing site abuse.
ep202	Required	90 days	This cookie is used for signup source attribution, event stitching, and assigning visitors to AB Testing. Internal health of business reporting, logging and AB testing assignments depend on this cookie being present

ep203	Required	90 days	Enables the system to uniquely identify browsers/devices for the purpose of mitigating account sharing. Identifies devices that could be account sharing which is not allowed under our terms of use.
EPQB_XXXXXXXX	Advertising	1 year	This cookie is used to customize the survey end page based on user demographics
fileDownload	Functional	session	Manages file download from group library
gclid	Advertising	30 days	Stores an identifier that associates Google Ads and Google Analytics user information.
gdpr_consent	Functional	1 year	Is added if a user from a GDPR country consents to the GDPR banner that shows on the bottom.
gdpr_consent_denied	Functional	1 week	Is added if a user from a GDPR country does not consent to the GDPR banner that shows on the bottom.
guardrail-complete-<collectorId>	Functional	Browser Local St	Keeps track of resolved guardrail violations on a given Audience project/collector
guardrail-errors-<collectorId>	Functional	Browser Local St	Keeps track of active guardrail violation errors on a given Audience project/collector
has_closed_automated_reminder_and	Functional	1 year	When this value is set, users will no longer see the automated reminder and thank you dialog more than once on page loads/refreshes after skipping the option or closing out of the dialog within a email collector upon scheduling their first message.
has_dismissed_comment_icon_popou	Functional	30 days	Prevents popout from appearing after user closes it
has_seen_share_modal_onboarding	Functional	session	Tracks whether users have seen share onboarding modal
hide_intro_dialog	Functional	1 year (previous)	Controls "Don't show again" checkbox in facebook messenger intro dialog
hide_offline_intro_dialog	Functional	session	Used to show or hide the kiosk mode intro dialog
hide-pending-message-banner	Functional	1 year	When this cookie is set, users will not see a banner explaining why messages sent from email collector are taking a long time to send.
hide-whitelist-sm-banner	Functional	1 year	When this cookie is set, users will not see a banner explaining to whitelist SurveyMonkey due to a sent email collector not actually being received by the intended recipient.
instant_response	Functional	90 days	Question should auto scroll when opening a survey via first question embedded in email collector
is_logged_in_fetch_request_domain	Functional	90 days	When leaving comment, records domain if it is different from survey domain. Seems to be related to the whitelabel surveys and survey preview
landing_page	Functional	30 days	Stores the url of the first page from the user's most recent visit to the SurveyMonkey website.
language	Functional	Browser Local St	Keeps track of the programming language selected for developer docs
legal_type	Functional	session	Tracks whether user is self-serve or enterprise to display different content in the new Legal Center
logged_in_fetch_request_domain	Functional	1 year	Preview & Test for a survey creator. Used during the commenting flow
m_opt	Functional	session	Prevents redirect to mobileweb if users switch to desktop. Set by mobilesvc
marmoset_cookie_name	Required	session / 10 min	Session cookie for the mobile version of the website (expires in 10 min) reset on subsequent requests which tracks Start Session events in Mixpanel. Removed when user signs out.
mobile_app	Functional	session	Session cookie for the mobile version of the website
mp_attr	Functional	session	Determines whether the user has visited the marketing pages
not_show_color_recommendation_aga	Functional	session	Prevents the color suggestion dialog if the user toggles to not see the recommendations
P_XXXXXXXX	Functional	1 year	This cookie is used to indicate if a pop up survey has been taken and prevent it from being taken again
PQT_{Encrypted_respondent_id}	Functional	1 day	When a user takes a survey that has a payment question type, this cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to make a payment as the payment page is no longer valid.
pricing_ab_new_users	Functional	session/1 year	Price testing
program	Functional	30 days	Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website.
project_snapshot	Functional	session/1 year	This cookie saves the project configuration for use later
recurrence-tooltip	Functional	1 year	Shows/hides the recurrence tooltip inside a web link collector

referrer_url	Functional	30 days	Stores the referrer from the user's most recent visit to the SurveyMonkey website.
research_ep	Functional	30 days	This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period.
respondent_id	Functional	10 minutes	Keeps track of the navigation on the individual responses page
RP_XXXXXXXX	Functional	90 days	This cookie is used to restrict a users to one response per survey
s_m_spage_commenting_tour_comme	Functional	1 year	Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience.
s_m_spage_commenting_tour_owner	Functional	1 year	Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again.
s_m_spage_commenting_tour_review	Functional	1 year	Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again.
s_m_spage_hide_preview_warning	Functional	1 year	Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal.
sa_show_fab	Functional	1 year	Prevents analyze sentiment analysis feature announcement bar from appearing multiple times
sa_show_popout	Functional	1 year	Prevents analyze sentiment analysis onboarding from appearing multiple times
sb-closed	Functional	1 year	Determines whether or not the user has closed the smart banner that links to the app store in our mobile experience.
sb-installed	Functional	1 year	Mobile experience optimizations.
seen_tbyb_fat_top_bar	Functional	1 days	Hides the top bar section that explains features are unlocked
session	Required	session	Used to prevent CSRF attacks
shared_page_password_<shared_view	Functional	1 day	Authorises user for password-protected shared view
shared_page_password_XXXXX	Required	1 day	Saves session for user visiting password protected Shared Results
shared_page_visitor_XXXXX	Functional	180 days	Determines if user has visited the shared results view
show_ar_off_survey	Functional	1 year	When a user turns Auto-renew off, the system sets this cookie to make sure we only show the "cancel auto-renew" survey once to eligible users.
show_ar_off_survey	Functional	1 year	We show a survey to users who go to the billing preference page and turn off auto renewal. We only want to show the survey once a year.
show_dashboard_popup	Functional	1 hour	This cookie is used to send selected users to an upgrade path.
signout_confirmation_seen	Functional	1 year	closed_template_views
signout_confirmation_views	Functional	1 year	This cookie is used for tracking total sign out-confirmation page views
sitespect_banner	Functional	session/1 year	Tracking for sitespect
sm_*	Functional	30 days	Contains info on any polls the user has taken in the last 30 days. It's used by the survey research team to conduct research into public opinion about current events or election prediction.
sm_analyze_commenting_tour	Functional	1 year	Used to show or hide the commenting tour dialog
sm_analyze_commenting_tour	Functional	1 year	Prevents analyze commenting onboarding from appearing multiple times
sm_analyze_disable_survey_gallery_t	Functional	1 year	Record that if the user want to see the survey gallery welcome modal
sm_analyze_disable_survey_gallery_t	Functional	1 year	Hides survey gallery if the user checked the "stop showing modal" option
sm_analyze_word_cloud_tour	Functional	1 year	Prevents analyze word cloud onboarding from appearing multiple times
sm_ao_prediction_viewed_popout	Functional	1 day	Prevents answer options popout from appearing if user clicks on the all options option
sm_auto_scroll_modal	Functional	1 year	Hides a modal explaining the auto scroll feature
sm_commenting_cta	Functional	1 days	Hides commenting popup on Preview & Score page for subsequent visits after user dismisses it
sm_create_acc_key	Functional	1 days	Helps determine which create sidebar panel to open on page load
sm_create_followup_question_predicti	Functional	1 day	When this cookie is set, users will not see the follow-up question dialog while adding questions to their survey on the Design page. This cookie is set after the first time the user has seen the follow-up question dialog.
sm_create_quiz_question_added	Functional	1 year	Hides a tooltip explaining the quiz feature
sm_create_tour	Functional	1 year	Sets a user preference if cookie is present to not show the old tour modal.

sm_dashboard_announcement	Functional	1 year	Prevents dashboard announcement modal from appearing multiple times
sm_dc	Required	session/14 days	This cookie is required for routing the user to the correct data center.
sm_device_management_welcome	Functional	1 year	Shows/hides device management welcome modal
sm_dv	Required	1 day	Enables account verification in a way that reduces traffic to AB testing which improves page load times.
sm_gs_anon_resp_id	Functional	1 year	Captures global setting default set by primary admin for anonymous responses
sm_gs_resp_auth_bool	Functional	1 year	Captures global setting default set by primary admin for respondent authentication
sm_hww_XXXX	Functional	1 year	Prevents showing workgroup welcome modal more than once
sm_ir	Functional	session	This cookie is used by instant results page to display certain data
sm_ir_mpid_cid	Functional	30 days	Analyse conversion traffic from affiliates
sm_library_show_modal	Functional	1 year	Shows/hides full library modal
sm_lite_library_show_modal	Functional	1 year	Shows/hides lite library modal
sm_opa	Advertising	30 days	This cookie is used when a user comes to SurveyMonkey from a media partner for sales attribution.
sm_profile_questions_dismissed	Functional	session	user dismissed module asking them to answer profile questions
sm_profile_questions_dismissed	Functional	session	user dismissed module asking them to answer profile questions
sm_rec	Required	session/14 days	Stores unencrypted user data. Expiry time based on the "remember me" button on login.
sm_show_mobile_video_popout	Functional	1 day	Shows popout to user if in full background layout and the background type is video
sm_show_preview_conversation_popout	Functional	1 day	When this cookie is set, users will not see the popout on step 2 letting them know that they can only see the UI for conversational mode in preview and score page.
sm_switch_format	Functional	1 day	When this cookie is set, users will not see the confirmation dialog letting them know that they're updating the survey format from <old format> to <new format> on preview and score page of create.
sm_video_onboarding_modal	Functional	1 year	Hides video onboarding modal
sm-team-splash-screen-library-dismiss	Functional	1 year	Determines whether an Enterprise user has disabled the introductory splash screen for the Team Asset Library page.
smasm	Advertising	90 days	This cookie is used by our experiment platform to determine which currently active experiment variations a user has previously been exposed to.
smc	Functional	3650 days	Ensure users are logged in across contribute and core. Removed on log out.
smcx_{{widget_id}}_last_shown_at	Functional	Session	smcx_{{widget_id}}_last_shown_at is dropped when a user is shown a popup invitation or widget or survey popup user interface, before any user interaction starts. It is used to prevent showing the same popup invitation or survey to the same browser instance after a user on that browser instance had already been given the opportunity to take the survey. Otherwise, in absence of special coding on the hosted website, users would be presented with the survey on every visit.
smexp	Advertising	30 minutes	This cookie is used by to determine which AB Testing a user has been exposed to in the last 30 minutes.
smf_logged_out_language	Functionals	1 Year	Remembers logged out user's language preference
SMkyPaymentRetry	Functional	session	Cookie to send credit card customers in charge retry mode to billing pages.
smpoll	Functional	30 days	This cookie contains info on any polls the user has taken in the last 30 days. It's used by the survey research team to conduct research into public opinion about current events or election prediction.
spagereqshare	Functional	90 days	Used in survey preview and commenting
sso_enabled	Functional	1 year	Stores encrypted SSO group information for SSO notification on login and password reset
sso_user	Required	90 days	This cookie is used to determine if a user is a single sign on user
taken_template_seen	Functional	1 year	This cookie is used for tracking which survey-taken pages this user has viewed
taken_template_views	Functional	1 year	This cookie is used for tracking total survey-taken page views
tld_set	Functional	1 year	Used for cross domain authentication and running AB testing on users visiting the site on different top level domains

tld_user	Functional	1 year	Used for cross domain authentication and running AB testing on users visiting the site on different top level domains
ttc_complete	Functional	1 year	Keeps track of insights trends cards completed
ucs_sign_in_module	Functional	1 year	Used for UCS banner - pending deprecation
ucs_sign_in_promo	Functional	1 year	Used by UCS banner - pending deprecation
ucs_topbar_views	Functional	5 years	Records how many times a certain topbar has been viewed in that browser, This was used by UCS V1, and V1 is not called anymore, the legacy v1 code will be removed soon.
upgrade_browser_modal	Functional	1 days	This cookie prevents the unsupported browser warning from displaying multiple times
utm_adgroup	Functional	30 days	Stores the value of the utm_adgroup param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_bu	Functional	30 days	Stores the value of the utm_bu param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_campaign	Functional	30 days	Stores the value of the utm_campaign param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_content	Functional	30 days	Stores the value of the utm_content param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_data	Functional	30 days	Stores the value of the utm_data param from the user's most recent visit to the SurveyMonkey website.
utm_device	Functional	30 days	Stores the value of the utm_device param from the user's most recent visit to the SurveyMonkey website.
utm_medium	Functional	30 days	Stores the value of the utm_medium param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_network	Functional	30 days	Stores the value of the utm_network param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_source	Functional	30 days	Stores the value of the utm_source param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_tag	Functional	30 days	Stores the value of the utm_tag param from the user's most recent visit to the SurveyMonkey website.
utm_term	Functional	30 days	Stores the value of the utm_term param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
viewed_4878	Functional	30 days	This cookie is used by for AB testing to personalize a returning user's upgrade path
visited_preview_anon	Functional	session/1 year	Record that a person has visited the preview page while signed out. When they sign in, we record that this user visited the preview page anonymously and then delete the cookie.

Name	Expiry	Category	Third Party Name	Description	Link
__hs_do_not_tr	13 months	Required	HubSpot	This cookie can be set to prevent the HubSpot tracking code from sending any information to HubSpot.	https://knowledge.hubspot.com/reports/what-cookies-does-hubspot-set-in-a-visitor-s-browser
__hssc	30 minutes	Functional	HubSpot	This cookie keeps track of sessions. This is used to determine if HubSpot should increment the session number and timestamps in the __hstc cookie.	https://knowledge.hubspot.com/reports/what-cookies-does-hubspot-set-in-a-visitor-s-browser
__hssrc	session	Functional	HubSpot	Whenever HubSpot changes the session cookie, this cookie is also set to determine if the visitor has restarted their browser.	https://knowledge.hubspot.com/reports/what-cookies-does-hubspot-set-in-a-visitor-s-browser
__hstc	13 months	Functional	HubSpot	The main cookie for tracking visitors	https://knowledge.hubspot.com/reports/what-cookies-does-hubspot-set-in-a-visitor-s-browser
__stripe_mid	10 minutes	Functional	Stripe	Used to aid in fraud detection. For example, this cookie data helps our fraud systems recognize the patterns of fraudulent actors and stops them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal
__stripe_sid	1 year	Functional	Stripe	Used to aid in fraud detection. For example, this cookie data helps our fraud systems recognize the patterns of fraudulent actors and stops them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal
__utma	2 years	Functional	Google Analytics	First party cookie set by third party script. Used to distinguish users and sessions	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__utmb	30 minutes	Functional	Google Analytics	Used to determine new sessions and visits	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__utmc	session	Functional	Google Analytics	Used for Google Analytics Functionality	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__utmt	10 minutes	Functional	Google Analytics	Used to throttle request rates	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__utmv	2 years	Functional	Google Analytics	Used to store visitor-level custom variable data	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__utmz	6 months	Functional	Google Analytics	Stores the traffic source or campaign that explains how the user reached your site	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__ceg.s	3 months	Functional	Crazy Egg Inc	Track visitor sessions	https://www.crazyegg.com/cookies
__ceg.u	3 months	Functional	Crazy Egg Inc	Track visitors on your site	https://www.crazyegg.com/cookies
__cloudspongea	Immediately	Functional	Cloudsponge	Behavior tracking	https://www.cloudsponge.com/privacy/
__dc_gtm_<prope	1 minute	Functional	Google Analytics	Used to throttle request rate.	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__fbclid	90 days	Advertising	Facebook	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	https://developers.facebook.com/docs/marketing-api/server-side-api/parameters/fbp-and-fbc/
__fbp	90 days	Advertising	Facebook	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	https://developers.facebook.com/docs/marketing-api/server-side-api/parameters/fbp-and-fbc/
__ga	1 year	Functional	Google Analytics	Used to distinguish users.	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__gac_<property-	90 days	Functional	Google Analytics	Contains campaign related information for the user.	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__gat	1 minute	Functional	Google Analytics	Used for Google Analytics Functionality	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
__gcl_au	90 days	Advertising	Google	Conversion Linker Tag used to track conversions beyond initial landing page.	https://support.google.com/tagmanager/answer/7549390?hl=en
__gcl_aw	90 days	Advertising	Google	Conversion Linker Tag used to track conversions beyond initial landing page.	https://support.google.com/tagmanager/answer/7549390?hl=en

_gcl_dc	90 days	Advertising	Google	Conversion Linker Tag used to track conversions beyond initial landing page.	https://support.google.com/tagmanager/answer/7549390?hl=en
_gid	24 hours	Functional	Google Analytics	Used to distinguish users.	https://developers.google.com/analytics/devguides/collection/analyticsjs/cookie-usage#gajs
_hjAbsoluteSess	30 minutes	Functional	Hotjar	The cookie is set so Hotjar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information.	https://help.hotjar.com/hc/en-us/articles/115011789248-Hotjar-Cookies
_hjid	365 days	Functional	Hotjar	This cookie is set when the customer first lands on a page with the Hotjar script. It is used to persist the Hotjar User ID, unique to that site on the browser. This ensures that behavior in subsequent visits to the same site will be attributed to the same user ID.	https://help.hotjar.com/hc/en-us/articles/115011789248-Hotjar-Cookies
_hjIncludedInSar	365 days	Functional	Hotjar	This session cookie is set to let Hotjar know whether that visitor is included in the sample which is used to generate funnels.	https://help.hotjar.com/hc/en-us/articles/115011789248-Hotjar-Cookies
kuid	180 days	Advertising	Krux Digital	unique identifier of users in Salesforce Audience Studio	https://konsole.zendesk.com/hc/en-us/articles/115013802488-KUID
_mkto_trk	730 days	Advertising	Marketo	Lead tracking of end-user page visits and clicks to Marketo landing pages	http://developers.marketo.com/javascript-api/lead-tracking/#cookie
_oref	1 month	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service-cloud/features/live-agent/
_pendo_meta.99	100 days	Functional	Pendo	Used to track a user's first visit, last visit and when the information was last updated.	https://help.pendo.io/resources/support-library/api/index.html?bash#introduction
_pendo_visitorId	100 days	Functional	Pendo	Used to store an anonymized user ID that Pendo uses to track a single user's clicks in AudienceWeb	https://help.pendo.io/resources/support-library/api/index.html?bash#introduction
_uetmsckid	90 days	Advertising	Microsoft Bing	Microsoft Bing Ads Universal Event Tracking (UET) tracking cookie. Represents Microsoft Click ID, which is used to improve the accuracy of conversion tracking.	https://help.ads.microsoft.com/apex/index/3/en/60000
_uetsid	24 hours	Advertising	Microsoft Bing	Microsoft Bing Ads Universal Event Tracking (UET) tracking cookie. Represents a session ID. This cookie is used by Bing to determine what ads should be shown that may be relevant to the end user perusing the site.	https://help.ads.microsoft.com/apex/index/3/en/53056/
_uetvid	14 days	Advertising	Microsoft Bing	Microsoft Bing Ads Universal Event Tracking (UET) tracking cookie. Represents a unique, anonymized visitor ID, assigned by UET, representing a unique visitor.	https://help.ads.microsoft.com/apex/index/3/en/53056/
ajs_anonymous_	1 year	Functional	Segment	These cookies are generally used for Analytics and help count how many people visit a certain site by tracking if you have visited before	https://segment.com/docs/sources/website/analytics.js/
ajs_group_id	1 year	Functional	Segment	These cookies track visitor usage and events within the website. Cookies in this domain have lifespan of 1 year.	https://segment.com/docs/sources/website/analytics.js/
ajs_user_id	1 year	Functional	Segment	This cookie helps track visitor usage, events, target marketing, and can also measure application performance and stability. Cookies in this domain have lifespan of 1 year.	https://segment.com/docs/sources/website/analytics.js/
APISID	session	Functional	Google	Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function properly.	https://policies.google.com/technologies/types

branch_session	Browser Session	Advertising	Branch	Used for tracking mobile app downloads from specific Marketing Pages, and from powering the "text me the app" Functionality on said pages: https://www.surveymonkey.com/mp/text-me-the-app/ https://www.surveymonkey.com/mp/text-me-the-anywhere-app/	https://branch.io/policies/#privacy-collection-and-use-of-information-from-our-services
branch_session	Browser Local St	Advertising	Branch	Used for tracking mobile app downloads from specific Marketing Pages, and from powering the "text me the app" Functionality on said pages: https://www.surveymonkey.com/mp/text-me-the-app/ https://www.surveymonkey.com/mp/text-me-the-anywhere-app/	https://branch.io/policies/#privacy-collection-and-use-of-information-from-our-services
BRANCH_WEBS	Browser Session	Advertising	Branch	Used for tracking mobile app downloads from specific Marketing Pages, and from powering the "text me the app" Functionality on said pages: https://www.surveymonkey.com/mp/text-me-the-app/ https://www.surveymonkey.com/mp/text-me-the-anywhere-app/	https://branch.io/policies/#privacy-collection-and-use-of-information-from-our-services
capterra	30 days	Functional	Capterra	Conversion Tracking for Marketing A	https://www.capterra.com/legal/cookie-policy
cto_lwid	1 year	Advertising	Google	This cookie is used by Google DoubleClick for Advertising	
Google Adwords	Details on durati	Advertising	Google	See details on cookie description	See details on types of cookies
Google Adwords	Details on durati	Advertising	Google	See details on cookie description	See details on types of cookies
Google Dynamic	Details on durati	Advertising	Google	See details on cookie description	See details on types of cookies
guest-session	1 hour	Functional	Chilipiper	This cookie is set by Chilipiper, a scheduling app used by our sales team, and is used for login authentication	https://www.chilipiper.com/privacy-policy
HSID	session	Functional	Google	Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function properly.	https://policies.google.com/technologies/types
hubspotutk	13 months	Functional	HubSpot	This cookie keeps track of a visitor's identity. It is passed to HubSpot on form submission and used when deduplicating contacts.	https://knowledge.hubspot.com/reports/what-cookies-does-hubspot-set-in-a-visitor-s-browser
intercom-id-[app	9 months	Functional	Intercom	Anonymous visitor identifier cookie. As people visit your site they get this cookie	https://www.intercom.com/help/en/articles/2361922-intercom-messenger-cookies
intercom-session	1 week	Functional	Intercom	Identifier for each unique browser session. This session cookie is refreshed on each successful logged-in ping, extending it to 1 week from that moment. The user can access their conversations and have data communicated on logged out pages for 1 week, as long as the session isn't intentionally terminated with "Intercom('shutdown')", which usually happens on logout	https://www.intercom.com/help/en/articles/2361922-intercom-messenger-cookies
JSESSIONID	Session	Functional	New Relic	Used to identify unique sessions for New Relic analytics.	https://docs.newrelic.com/docs/browser/new-relic-browser/page-load-timing-resources/new-relic-cookies-used-browser
li_fat_id	1 month	Advertising	LinkedIn	Member indirect identifier for conversion tracking, retargeting, analytics	https://www.linkedin.com/legal/l/cookie-table
li-oatml	1 month	Advertising	LinkedIn	Member indirect identifier for conversion tracking, retargeting, analytics	https://www.linkedin.com/legal/l/cookie-table
liveagent_chatter	1 year	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service-cloud/features/live-agent/
liveagent_ptid	1 month	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service-cloud/features/live-agent/
liveagent_sid	1 year	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service-cloud/features/live-agent/
liveagent_vc	1 month	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service-cloud/features/live-agent/

mp_HASH_mixp	1 year	Functional	MixPanel	Used for analytics data for mobile visitors. This cookie is expired each time user hits the index.js if they have NOT consented GDPR. Mixpanel's default cookie expiration time is 365 days. https://developer.mixpanel.com/docs/javascript-full-api-reference#mixpanelset_config We can override this default.	https://mixpanel.com/legal/privacy-policy/
NID	session	Functional	Google	The NID cookie contains a unique ID Google uses to remember your preferences and other information, such as your preferred language (e. g. English), how many search results you wish to have shown per page (e.g. 10 or 20)	https://policies.google.com/technologies/types
NRAGENT	Session	Functional	New Relic	Used to facilitate cross-domain communication to the New Relic collector endpoint. Responsible for correlation of transaction traces with browser traces. Only used on legacy Brower integration.	https://docs.newrelic.com/docs/browser/new-relic-browser/page-load-timing-resources/new-relic-cookies-used-browser
NREUM	Session	Functional	New Relic	Used to provide performance data for browsers that do not support the Navigation Timing API.	https://docs.newrelic.com/docs/browser/new-relic-browser/page-load-timing-resources/new-relic-cookies-used-browser
nsr	session	Functional	Stripe	Used to aid in fraud detection. For example, this cookie data helps our fraud systems recognize the patterns of fraudulent actors and stops them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal
optimizelyBucket	10 years	Functional	Optimizely	Records the variation the visitor has seen for each experiment. This allows us to deliver a consistent experience on successive page loads.	https://help.optimizely.com/Set_Up_Optimizely/Cookies_and_localStorage_in_the_Optimizely_snippet
optimizelyEndUs	10 years	Functional	Optimizely	Stores the visitor's unique Optimizely identifier. It's a combination of a timestamp and random number. No other information about you visitors is stored inside.	https://help.optimizely.com/Set_Up_Optimizely/Cookies_and_localStorage_in_the_Optimizely_snippet
optimizelyPendir	15 seconds	Functional	Optimizely	Used as a cache for a visitor's actions between tracking calls. This ensures that all events are efficiently tracked even if a visitor takes many actions in rapid succession. The cookie is wiped once the tracking call has been made.	https://help.optimizely.com/Set_Up_Optimizely/Cookies_and_localStorage_in_the_Optimizely_snippet
optimizelySegme	10 years	Functional	Optimizely	Stores the visitor's segment: browser, campaign, mobile, source type and any custom dimensions we need to improve our segmented analytics.	https://help.optimizely.com/Set_Up_Optimizely/Cookies_and_localStorage_in_the_Optimizely_snippet
SAPISID	session	Functional	Google	Security cookies to authenticate users, prevent fraudulent use of login credentials, and protect user data from unauthorized parties.	https://policies.google.com/technologies/types
SID	session	Functional	Google	Security cookies to authenticate users, prevent fraudulent use of login credentials, and protect user data from unauthorized parties.	https://policies.google.com/technologies/types
SIDCC	session	Functional	Google	Security cookies to authenticate users, prevent fraudulent use of login credentials, and protect user data from unauthorized parties.	https://policies.google.com/technologies/types
Snap*	100 days	Functional	SnapEngage	Used for the online chat widget	https://code.corp.surveymonkey.com/devmonkeys/AudienceWeb/blob/develop/audiencweb/lib/snap_engage.py
SSID	session	Functional	Google	Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are required for these components to function properly.	https://policies.google.com/technologies/types
TDID	1 year	Advertising	The Trade Desk	Used to recognize web-browser profiles over time across sites	https://www.thetradedesk.com/general/privacy